

Notes:

1. ALL DIMENSIONS ARE IN MILLIMETERS AND ALL ELEVATIONS AND COORDINATE VALUES ARE IN METERS UNLESS NOTED OTHERWISE.
2. THIS DRAWING SHOULD BE READ IN CONJUNCTION WITH OTHER RELEVANT ARCHITECTURAL, STRUCTURAL, MECHANICAL AND ELECTRICAL DRAWINGS AND ALL RELEVANT SECTIONS OF THE SPECIFICATIONS.
3. THIS DRAWING SHALL BE READ WITH APPROVED PROJECT GROUND SETTING OUT PLAN DRAWING.

Legends

- GI pipes 1" & 2" —
- wires —
- Inclined GI pipes 1" —
- GI pipes 1" —

Factory:

3D Model

SCALE	DWG NO.	Page NO.		
Drawn By: MA	Checked By:	Approved By:		
Date: 20/04/2024				
REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED
FORM REF.:	SHEET:	REV.		
	A0	00		


Notes:

1. ALL DIMENSIONS ARE IN MILLIMETERS AND ALL ELEVATIONS AND COORDINATE VALUES ARE IN METERS UNLESS NOTED OTHERWISE.
2. THIS DRAWING SHOULD BE READ IN CONJUNCTION WITH OTHER RELEVANT ARCHITECTURAL, STRUCTURAL, MECHANICAL AND ELECTRICAL DRAWINGS AND ALL RELEVANT SECTIONS OF THE SPECIFICATIONS.
3. THIS DRAWING SHALL BE READ WITH APPROVED PROJECT GROUNDLINE SETTING OUT PLAN DRAWING.

Legends

- GI pipes 1" & 2" —
- wires —
- Inclined GI pipes 1" —
- GI pipes 1" —

Factory:



اسلاك معدنية مشدودة تركيب تحت الطرزيال لجملة ومنع تقوسه او تجمع مياه الامطار عليه بحيث تكون المسافة بين الاسلاك على الجوانب 0.5 م وفي الاعلى 0.3 م
Tight metal wires are installed under the plastic sheet to carry it and prevent it from arching or collecting rain water on it, so that the distance between the wires on the sides is 0.5m and at the top 0.3m

تثبيت قطع صغيرة من مواسير مختلفة الاقطار لتثبيت المواسير اليها
Install small peices of pipes of different diameters as Cross-shaped to install the pipes to them

توصيله ذات قطر مختلف بحيث تثبت الاقواس عليها
A pipe with a different diameter to fixed the arch

3D Model

SCALE	DWG NO.	Page NO.		
Drawn By: MA	Checked By:	Approved By:		
Date: 20/04/2026				
REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED
FORM REF.:	SHEET:	REV.		
	A0	00		


Notes:

1. ALL DIMENSIONS ARE IN MILLIMETERS AND ALL ELEVATIONS AND COORDINATE VALUES ARE IN METERS UNLESS NOTED OTHERWISE.
2. THIS DRAWING SHOULD BE READ IN CONJUNCTION WITH OTHER RELEVANT ARCHITECTURAL, STRUCTURAL, MECHANICAL AND ELECTRICAL DRAWINGS AND ALL RELEVANT SECTIONS OF THE SPECIFICATIONS.
3. THIS DRAWING SHALL BE READ WITH APPROVED PROJECT GROUNDLINE SETTING OUT PLAN DRAWING.

Legends


- GI pipes 1" & 2" —
- wires —
- Inclined GI pipes 1" —
- GI pipes 1" —

Factory:



Metal wires are installed along the width of the green house to connect the plastic strings used for hanging plants, the distance between wires in tow direction 0.6cm

أسلاك معدنية ترصد على طول وعرض الصوب لتتعلق الحوزة البلاستيكية الخاصة بتعليق النباتات المسافة بين الأسلاك في الاتجاهين الطولي العرضي 0.6م



Front View

SCALE	DWG NO.	Page NO.		
Drawn By: MA	Checked By:	Approved By:		
Date: 20/04/2018				
REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED
FORM REF.:	SHEET:	REV.		
	A0	00		


Notes:

1. ALL DIMENSIONS ARE IN MILLIMETERS AND ALL ELEVATIONS AND COORDINATE VALUES ARE IN METERS UNLESS NOTED OTHERWISE.
2. THIS DRAWING SHOULD BE READ IN CONJUNCTION WITH OTHER RELEVANT ARCHITECTURAL, STRUCTURAL, MECHANICAL AND ELECTRICAL DRAWINGS AND ALL RELEVANT SECTIONS OF THE SPECIFICATIONS.
3. THIS DRAWING SHALL BE READ WITH APPROVED PROJECT GROUND SETTING OUT PLAN DRAWING.

Legends

- GI pipes 1" & 2" —
- wires —
- Inclined GI pipes 1" —
- GI pipes 1" —

Factory:



مواسير مجلفن مقوس بقطر 2 هنتس
وسماكة 1.5مم
Arched GI pipe 2" & 1.5mm thick

اسلاك معدنية مشدودة تركيب تحت الطربال لجملة ومنع تقوسه او تجمع مياه الامطار عليه بحيث تكون المسافة بين الاسلاك على الجوانب 0.5 م وفي الاعلى 0.3 م

Tight metal wires are installed under the plastic sheet to carry it and prevent it from arching or collecting rain water on it, so that the distance between the wires on the sides is 0.5m and at the top 0.3m

مواسير معدنية مجلفن قطر 1 هنتس سماكة 1.5مم
GI pipe 1" & 1.5mm thickness

مواسير معدنية مجلفن قطر 2 هنتس
سماكة 1.5مم
GI pipe 2" & 1.5mm thickness

Top view shoing the structure details of the Greenhouse

Top View

SCALE	DWG NO.	Page NO.		
Drawn By: MA	Checked By:	Approved By:		
Date: 20-04-2026				
REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED
FORM REF.:	SHEET:	REV.		
	A0	00		

