


Annex B- Financial Sheet-ITB-FMF-ADE-200076-2024							
		Invitation to bid for supply (Medical equipment) NO :ITB/FMF/ADE/200076/2024 دعوة لتقديم عطاءات توريد وتوصيل (أدوات ومعدات طبية) رقم: ITB/FMF/ADE/200076/2024					
		About the Field Medical Foundation: The Field Medical Foundation is a comprehensive community-based, non-profit, developmental organization that seeks to pioneer in humanitarian action through its health, relief, and development services, which aims to improve community health and build capacity through projects and services provided with high-quality and high credibility.				نبذة عن المؤسسة الطبية الميدانية : المؤسسة الطبية الميدانية مؤسسة غير ربحية مجتمعية تنموية شاملة تسعى أن تكون رائدة في العمل الإنساني و ذلك عبر خدماتها الصحية والإغاثية و التنموية و التي تهدف إلى تحسين صحة المجتمع وبناء القدرات من خلال المشاريع و الخدمات المقدمة ذات الجودة و المصداقية العالية .	
Tender no(s): رقم العطاء	NO :ITB/FMF/ADE/200076/2024				Bid date : تاريخ العطاء :		21-7-2024
					Bid submission date : أريخ تسليم العطاء من قبل المورد :		_2024
SUPPLIER Information :				For any Informayion : FMF			
Company name / Trading name الاسم التجاري / اسم الشركة				Contact name الاسم :		Hasn Hasan	
Contact person الشخص الذي يمكن الاتصال به				E-mail/ البريد		operation.dept@fmfyemen.org	
E-mail/ البريد				Phone / هاتف		02-233460 / 103 7751200519	
Phone/ هاتف				Address/العنوان		الجمهورية اليمنية- محافظة عدن- خور مكسر- حي أكتوبر بجانب مكتب التربية والتعليم	
Address/العنوان				bank name/ أسم البنك			
bank name/ أسم البنك				Account Name/ اسم الحساب			
Account Name/ اسم الحساب				Account Nu:/ رقم الحساب			
Account Nu:/ رقم الحساب				Items required by Supplier:			
Delivery Date : الجدول الزمني لتوصيل							
Line item no.	Description	specification	Unit	Qty	Est price per unit	Est Total price	Remarks
1	Examination Bed with Pillow and blanket	Examination table, in 2 sections Mounted on 4 sturdy supports	PCS	8			
2	Oxygen cylinder with regulator (40L) and holder	Standard Flow Rate: 40 l/min,Maximum Flow Rate	PCS	4			

3	Suction machine 5 Liters capacity	Suction machine 5 Liters capacity, electric, with infant and adult tubes, Power Voltage Power ≤ 180 VA Pumping Rate: ≥ 20L/min	PCS	4			
4	Sphygmomanometer	Mercury Sphygmomanometer; with full standard accessories (Aluminium box, tube, bladder, bulb and valve Stethoscope.	PCS	12			
5	Stethoscope	Dual Head Stethoscope, dual head chestpiece with non-chill rubber rings, binaural, aluminium with plastic tips. Supplied with spare diaphragm and two pair soft eartips.	PCS	12			
6	clinical thermometers	Digital type for clinical use, measured in degree celsius, large display, ACC. 0.1 C	PCS	16			
7	Glucometer model acotchek perform with slides	Digital type, good quality	PCS	12			
8	Nebulizer	portable -Frequency 1.7 MHZ -Completely supplied with Aerosol hose and Mask for Adult and children, Power Supply 220 VAC ,50 Hz Nebulizer capacity max. 3 ml/min Air capacity up to 20 l/min	PCS	8			
9	Mobile lamp	Examination Lamp -Mobile on 5 castors LED Lamp Itensity about 15000 Lux at 50 cm -Power Supply 220- 230 V ,50 Hz	PCS	4			
10	Drip stand	Mobile on Castors -Double Hook -adjustable Height -material Stainless Steel	PCS	8			
11	Steel bed ladder	_ Double Step -Steel Tubular frame Work mounted on PVC Shoes -Step fixed with Anti-Slip Rubber mat	PCS	8			
12	Stool,adjustable,on castors	Movable, height adjustable stool with gas spring mounted on 5 swivel castors.	PCS	8			
13	Guedel Airways set	TUBE, GUEDEL, airways, the set consist of 6 pcs, size No 0,1,2,3,4,5	Set	4			
14	Ambu bag - Adult	resuscitation bag, ambu type, manual, adult, silicone, 1500 ml, with mask adult, oxygen reservoir bag 2600 ml.	PCS	4			
15	Ambu bag - Child	resuscitation bag, ambu type, manual, child, silicone, 500 ml, with mask child, oxygen reservoir bag 2600 ml	PCS	4			

16	Ambu bag - infant	resuscitation bag, ambu type, manual, infant, silicone, 250 ml, with mask infant, oxygen reservoir bag 600 ml	PCS	4			
17	Sterilizer	Fully automatic hot air steriliser with adjustable temperature from 0°C to 200°C, kills off even particularly resistant microorganisms.	PCS	4			
18	Hand Held Foetal Doppler	Built-in speaker. Three working modes: Real time FHR Display Mode, Averaged FHR Display Mode and Manual Mode. LCD Screen.	pcs	4			
19	Medical sterilizing drums	Different sizes	pcs	12			
20	Laboratory light microscope	Laboratory light Microscope, binocular type, with standard set.,Microscope with frame Binocular tube Pair of eyepiece 10X (FN20),Quadruple revolving nosepiece,	PCS	4			
21	Micro Centrifuge	Micro centrifuge, tabletop, high-speed, up to 15,000 rpm with following specifications:.,Bench top microcentrifuge, with speed range 500-15000rpm,	pcs	4			
22	Lab Water Bath	Laboratory water bath with cover (lid), 15 liter inner tank, stainless steel with following features:.,Stabilizing temperature at 25, 37, 42 or 56°C.	pcs	4			
23	Pulse Oximeter	"Screen: colour LED Oxygen Saturation Measurement Range: 35-100% Heart Rate Measurement Range Auto power off Accuracy in case of weak pulse: ± 4% SpO2 Resolution: 1% SpO2, 1 l.p.m. Pulse Power supply: Two 1.5V alkaline batteries AAA (not included) Graph: in bars and waves Light: the variation between the reading in darkness and in artificial light is <1% Optical sensor: Red light (660nm, 6.65mW), Infrared (880nm, 6.75mW)	pcs	8			

24	Trolley	"this Dressing cart should be designed to transport Dressings supplies and instruments for each surgical procedure or case to the operating room (OR) The dimensions of the surgical case cart should be approximately W600 : D400 mm. Construction Quality:- The cart should resist tipping over during use and transport. The handle should be a full-width handrail on both ends of the cart. The cart should have a minimum of two adjustable shelves."	pcs	8			
25	Mobile Curtains	"Hospital Bed Side Screen, four-Fold Frame work of bed side screen constructed with ms steel tubes. Over all size of bed side screen: 244cm L x 165 cm H (opened) : 60 cm L 165cm (closed) Mobile on castors Pre-treated and epoxy powder coated finishing Color Blue or Green	PCS	12			
26	Wheel Chairs	" Foldable. -Chrome Platted Tube Frame. -Seat and Backrest if reinforced Material. -Fixed Armrest -Foldable Footrest. -Solid Wheels Patient Stretcher -Chrome Platted Steel Tube. -Removable Top covered with upholstered washable Plastic Material. -Mounted on 4 Casters, two with Brakes. -Complete with Side Rail, IV Stand, Oxygen Bottle Holder. - Color Black "	PCS	4			

27	Dressing set	Dressing set contains (Kidney Dish, Gallipot, Stitch Scissors, gauze scissors, tissue scissors, Scalpel No 4, needle holder, non-toothed dissecting forceps, toothed dissecting forceps, straight kocher artery forceps, Straight artery forceps, Curved Artery Forceps	PCS	12			
28	CBC MACHINE	"Hematology analyzer CBC 3 PARTS Parameters 19: WBC, LY%, MO%, GR%, LY, MO, GR, RBC, HGB, HCT, MCV, MCH, MCHC, RDWSD, RDW-CV, PLT, PCT, MPV, PDW Reagents 1 hemolyzing reagent (cyanide free), 1 diluent, 2 detergents Sample volume 30µL for normal measurement mode or 20 µL for pre-dilution mode Throughput Approx. 60 samples /hour (Open mode) Thermal printer SUPPLY WITH UBS ONLINE"	PCS	4			
29	Spectrophotometer	Spectrophotometer(biochemistry analyzer), UV/Visible range 190-1000nm for basic applications, Microprocessor – controlled UV/VIS spectrophotometer shall have single beam operation with automatic reference corrected measureme, The unit shall feature a holographic grating monochromator with a range from 190-1000nm, Optical Banwidth: 4nm, LCD display, Keyboard controlled, Modes - Absorbance, % Transmission of sample, Standard curve method, Coefficient method, Wavelength accuracy shall approximately be with 1nm, Program selectable photometer range should measure within a -0.3 to 3.0A operating range, Auto lamp and filter selection, The spectrophotometer shall perform a self test and calibration, Power requirements 220VAC, 50/60HZ.	PCS	4			
Total							
Delivery Location : محل التوصيل :			As pe distribution plan Attaced (Taiz-Aden-Mukallah-Sayoun) الى مناطق التوزيع حسب خطة التوزيع المرفقة (تعز-عن-المكلا-سيون)				
ح							
Signature and Stamp:							