

## **REQUEST FOR QUOTATION (RFQ)**

RFQ Reference: Establishing of Pesticide Residue

Laboratory – Agriculture Office - Seiyun- Hadhramaut

Date: 06 August 2024

SECTION 1: REQUEST FOR QUOTATION (RFQ) for the provision of Establishing of Pesticide Residue Laboratory – Agriculture Office - Seiyun- Hadhramaut

International Organisation for Migration (IOM) kindly requests your quotation for the provision of goods, works and/or services as detailed in Annex 1 of this RFQ.

This Request for Quotation comprises the following documents:

Section 1: This request letter

Section 2: RFQ Instructions and Data

Annex 1: Schedule of Requirements

Annex 2: Quotation Submission Form

Annex 3: Technical and Financial Offer

When preparing your quotation, please be guided by the RFQ Instructions and Data. Please note that quotations must be submitted using Annex 2: Quotation Submission Form and Annex 3 Qualification, Technical and Financial Offer, by the method and by the date and time indicated. It is your responsibility to ensure that your quotation is submitted on or before the deadline. Quotations received after the submission deadline, for whatever reason, will not be considered for evaluation.

Thank you and we look forward to receiving your quotations.
Approved by:
Signature:





### **SECTION 2: RFQ INSTRUCTIONS AND DATA**

Deadline for the Submission	15-08-2024, 05:00 PM GMT+3			
of Quotation	If any doubt exists as to the time zone in which the quotation should be submitted,			
	refer to http://www.timeanddate.com/worldclock/.			
Method of Submission	Quotations must be submitted as follows:			
	□ Email			
	☐ Courier / Hand delivery			
	☐ Other Click or tap here to enter text.			
	Bid submission address: IOMYemenTender@iom.int			
	File Format: pdf or word, Excel			
	<ul> <li>File names must be maximum 60 characters long and must not contain any letter or special character other than from Latin alphabet/keyboard.</li> </ul>			
	<ul> <li>All files must be free of viruses and not corrupted.</li> </ul>			
	<ul> <li>Max. File Size per transmission: 10-12 MP</li> </ul>			
	<ul> <li>Mandatory subject of email: Establishing of Pesticide Residue Laboratory</li> <li>Agriculture Office - Seiyun- Hadhramaut</li> </ul>			
	<ul> <li>Multiple emails must be clearly identified by indicating in the subject line "email no. X of Y", and the final "email no. Y of Y.</li> </ul>			
	<ul> <li>It is recommended that the entire Quotation be consolidated into as few attachments as possible.</li> </ul>			
	<ul> <li>The proposer should receive an email acknowledging email receipt.</li> </ul>			
Cost of preparation of	IOM shall not be responsible for any costs associated with a Supplier's preparation			
quotation	and submission of a quotation, regardless of the outcome or the manner of			
	conducting the selection process.			
Supplier Code of Conduct	All prospective suppliers must read the UN Supplier Code of Conduct and			
	acknowledge that it provides the minimum standards expected of suppliers to the			
	UN. The Code of Conduct, which includes principles on labour, human rights,			
	environment and ethical conduct may be found at: Supplier Code of Conduct			
Conflict of Interest	(ungm.org).  UN encourages every prospective Supplier to avoid and prevent conflicts of interest,			
Connect of interest	by disclosing to UN if you, or any of your affiliates or personnel, were involved in the			
	preparation of the requirements, design, specifications, cost estimates, and other			
	information used in this RFQ.			
General Conditions of	Any Purchase Order or contract that will be issued as a result of this RFQ shall be			
Contract	subject to the IOM General Conditions of Contract for provision of			
	goods/services/transportation/medical services available at			
	https://www.iom.int/do-business-us-procurement.			
Eligibility	Bidders shall have the legal capacity to enter into a binding contract with IOM and to			
	deliver in the country, or through an authorized representative.			
Currency of Quotation	Quotations shall be quoted in USD			
Duties and taxes	The International Organization for Migration is exempt from all direct taxes, except charges for public utility services, and is exempt from customs restrictions, duties,			
	and charges of a similar nature in respect of articles imported or exported for its			
	official use. All quotations shall be submitted net of any direct taxes and any other			
	taxes and duties, unless otherwise specified below:			
	All prices shall:			
	<ul><li>☑ be inclusive of VAT and other applicable indirect taxes</li></ul>			
	☐ be exclusive of VAT and other applicable indirect taxes			





_	ON MIGRATION
Language of quotation and	All bids, information, documents and correspondence exchanged between IOM and
documentation including	the bidders in relation to this bid process shall be in English
catalogues, instructions and	
operating manuals	
Documents to be submitted	Bidders shall include the following documents in their quotation:
	☑ Annex 2: Quotation Submission Form duly completed and signed
	☑ Annex 3: Technical and Financial Offer duly completed and signed and in
	accordance with the Schedule of Requirements in Annex 1
	☐ Other Click or tap here to enter text.
Quotation validity period	Quotations shall remain valid for 90 days from the deadline for the Submission of
	Quotation.
Price variation	No price variation due to escalation, inflation, fluctuation in exchange rates, or any
	other market factors shall be accepted at any time during the validity of the
	quotation after the quotation has been received.
Partial Quotes	☐ Not permitted
	⊠ Permitted by lien item)
Payment Terms	
-	submission of payment documentation.
	☐ <b>Other</b> Click or tap here to enter text.
Contact Person for	Focal Person: PLU MARIB
correspondence,	E-mail address: iommaribproc@iom.int
notifications and	Attention: Quotations shall not be submitted to this address but to the address for
clarifications	quotation submission above.
Clarifications	Requests for clarification from bidders will not be accepted any later than Click or
Giarri Garierio	tap here to enter text. days before the submission deadline. Responses to request
	for clarification will be communicated Click or tap here to enter text. by Click or tap
	to enter a date.
Evaluation method	☑The contract will be awarded to the lowest price substantially compliant offer
	☐ Other Click or tap here to enter text.
Evaluation criteria	
	□ Full acceptance of the General Conditions of Contract
	□Comprehensiveness of after-sales services
	⊠Earliest Delivery /shortest lead time
	□Others (for ex, environmental criteria/considerations, etc)
Right not to accept any	IOM is not bound to accept any quotation, nor award a contract or Purchase Order
quotation	
Right to vary requirement at	At the time of award of Contract or Purchase Order, IOM reserves the right to vary
time of award	(increase or decrease) the quantity of services and/or goods, by up to a maximum
	25% of the total offer, without any change in the unit price or other terms and
	conditions.
Type of Contract to be	PO
awarded	20 August 2024
Expected date for contract award.	30 August 2024
Policies and procedures	This RFQ is conducted in accordance with Policies and Procedures of IOM
•	IOM is encouraging all suppliers to register at the United Nations Global Marketplace
UNGM registration	(UNGM) website at <a href="https://www.ungm.org">www.ungm.org</a> . The Bidder may still submit a quotation even if
	not registered with the UNGM, however, if the Bidder is selected for Contract award
	of USD 100,000 and above, the Bidder is recommended to register on the UNGM
	prior to contract signature. For vendors who do not have the technical means to
	register in UNGM, the UNGM has implemented an assisted vendor registration
	functionality that allows IOM procurement personnel to add local vendors to the
	UNGM.
	LONGIN.





### **ANNEX 1: SCHEDULE OF REQUIREMENTS**

### **Technical Specifications for Goods:**

Item No	Minimum technical requirements	Unit	Quantit y	Remark
1	Gas Chromatography Mass Spectrometry LZ-GCMS-A879 Gas Chromatography. Gas Chromatography Mass Spectrometry LZ-GCMS-A879 including with autosampler and samples tray for as minimum 150 vials (2ml). A complete set of equipment required for wide range of research applications (such as Food & organic analysis and suitable for pesticide, herbicides, fungicides and insecticides residue in foods) supplied with: • Complete set of software for controlling the system and managing its data via a PC, with set of required interfaces cables. system. • Complete columns for the above-mentioned application fields, such as: Food & organic analysis and pesticide residues • Complete set of accessories for supplies, regulators, detection system, carrier gas generator and necessary chemicals. Gas Chromatography Mass Spectrometry LZ-GCMS-A879 Gas Chromatography Specifications: Flow rate 1 ~ 1.5 ml / min Maximum flow rate 10 ml / min Inlet temperature 450 °C Pressure range 0 ~ 100 psi Heating rate Up to 120 °C / min Room temperature 4 °C ~ 450 °C Pressure control mode Electronic pressure control ( Supports CV and CC) Split mode Split / split less Split ratio 41.6673611111111Temperature programming 7 stages / 8 platforms Auto sampler Optional Mass Spectrometry Specifications: Mass range 1.5 ~ 1000 amulon − source temperature 100 °C ~ 350 °C GC-MS interface temperature 450 °CScan rate Up to 10000 amu/s Stability ± 0.10 amu / 48 hrs. Filament emission current 0 ~ 350 μAEI source ionization energy 5 eV ~ 250 Ev Resolution Unit resolution Detector High energy dynode electron multiplier Sensitivity Full scan ( S / N is ≥ 30 : 1 )Vacuum Turbo molecular pump ( 67 L/s ). Brand (Labozon Scientific Inc., United States) Including installation and training in pesticide residue analysis application to the Staff	PC	1	Please Refer to the attached BoQ
2	Multiresidue pesticide standard test kit: Multiresidue pesticide standard test kit Accurately identify and quantify pesticide residues in foods. Detection of major organophosphate and carbamate pesticides. LC Multiresidue Brand Restek Corpora	KIT	4	Please Refer to the attached BoQ
3	Ultrapure Water Purification System LZ-UWP-A100 Ultrapure Water Purification System LZ-UWP-A100Pure Water Output : $\geq$ 10 L / hr Water Type : Type I and Type III Water Tank Capacity : 30 L Method : Double Pass RO system Ultrapure Water Output : $\geq$ 1- 1.5 L / min Resistivity : 15 $\sim$ 18.25 M $\Omega$ . Cm @25°C Conductivity : $\leq$ 5 $\mu$ s / cm @25°C Retention Rate ( Silicon) : $>$ 99.9%TOC : $<$ 20 ppb Absorbance : $<$ 0.001Reactive Silica (SiO2) : $<$ 0.01 ppm Heavy Metal Ion : $<$ 0.01	PC	1	Please Refer to the attached BoQ



	UN MIGRATION	1	ı	
	ppm Pyrogens : < 0.02 EU / ml Power : >150 W Power Supply : 220 V / 50 Hz Dimensions : 340 x 550 x 530 mm Weight : 39 kg. Brand (Labozon Scientific Inc., United States)			
4	Electromagnetic Analytical Balance LZ-AB-A520 Electromagnetic Analytical Balance LZ-AB-A520 Range: 600 g Repeatability: ±0.002g Readability: 0.001g Display: LCD Minimum Weighing: 0.004g Pan Dimension: Ø 80 mm Material: Aluminum base Linearity: ±0.003g Calibration: Internal / External Housing Dimensions: 340×215×350mm Draft shield Dimensions: 240×190×265mm Interface: RS232 & USB Weight: 11Kg. Brand (Labozon Scientific Inc., United States)	PC	1	Please Refer to the attached BoQ
5	Variable Autoclavable Micropipettes LZ-VAP-A15 Variable Autoclavable Micropipettes LZ-VAP-A15Volume: 100 to 1000 μl Testing Volume: 500 μl Channel: Single Inaccuracy: ±0.70%Imprecision: ±0.25% Increment: 5 μlTips Volume: 1000 μl Display: Digital Sealing: PTFE Weight: 0.25 kg500pcs price; Qty/ctn: 20. Brand (Labozon Scientific Inc., United States)	PC	5	Please Refer to the attached BoQ
6	Variable Autoclavable Micropipettes LZ-VAP-A17 Variable Autoclavable Micropipettes LZ-VAP-A17Volume: 2 to 10ml Testing Volume: 5 ml Channel: Single Inaccuracy: ±1.20%Imprecision: ±0.30% Increment: 0.1 ml Tips Volume: 10 ml Display: Digital Sealing: PTFE Weight: 0.25 kg500pcs price; Qty/ctn: 20. Brand (Labozon Scientific Inc., United States)	PC	5	Please Refer to the attached BoQ
7	Low-Speed Table Top Centrifuge LZ-LSC-C100 Low-Speed Table Top Centrifuge LZ-LSC-C100Maximum Speed: 5000 rpm Maximum Volume: 4×250 ml Timer: 0 to 99 min Dimension (W×D×H): 400×570×320 mm Speed Accuracy: ±20 rpm Maximum RCF: 4730×g Noise: 58 ≤dB Power Supply: AC 220V/110V, 50 Hz 10A Net Weight: 35 kgRotors: 6x15ml, 6x50 ml, 4 x 250 ml, tubes. Brand (Labozon Scientific Inc., United States)	PC	1	Please Refer to the attached BoQ
8	Orbital Shaker LZ-OS-B100: Orbital Shaker LZ-OS-B100 Maximum Load Capacity: 7.5 kg Shaking Speed Range: $100 - 500$ rpm Platform Dimension: $320 \times 320$ mm Shaking Orbit: $10$ mm Shaking Motion: Orbital Display: LCD Timer Range: $1$ min $^\sim$ 19 h 59 min Temperature Range: $5 - 40$ °C Humidity: $80$ %RH Operation: Continuous/Timed Power: $30$ W electrical Supply: $100 - 240$ V, $50$ / $60$ Hz Overall Dimension: $370 \times 420 \times 100$ mm Weight: $13.5$ kg. Brand (Labozon Scientific Inc., United States	PC	1	Please Refer to the attached BoQ
9	Mini Vortex Mixer LZ-VM-A100 Mini Vortex Mixer LZ-VM-A100Capacity: 50 ml Control Mode: Fixed Speed Motor: Brushless motor Amplitude: 4.5 mm (Circular motion) Speed Range: 3000 rpm Protection Level: IP42 Humidity: 80% RH Ambient Temperature: 5	PC	1	Please Refer to the attached BoQ



			1	T
	to 40°C Power: 12 W Electrical Supply: 100 to 240 V, 50/60 Hz Dimension: 93x93x72 mmNet Weight: 0.36 kg Gross Weight: 0.55 kg. Brand (Labozon Scientific Inc., United States)			
10	Multi-Position Hotplate Magnetic Stirrer LZ-MSH-B103 Multi-Position Hotplate Magnetic Stirrer LZ-MSH-B103Work plate Dimension: 110 mm Work plate material: PET anti- corrosion plate Motor type: Brushless motor Stirring positions: 6Max. stirring quantity: 6 *500ml Max. magnetic bar length: 20-50 mm Speed range: 50-1500 rpm Control: Synchronous and Asynchronous Mixing Direction: RightTimer: 1min-19h 59min Display: LCD Environmental conditions: 5-40°C, 80% RH Power supply: AC 100-220VDimension: 415 x 225 x 65 mm Accessories: Stir Bars Brand (Labozon Scientific Inc., United States)	KIT	1	Please Refer to the attached BoQ
11	Cylinders (50, 100, 250, 500, 1000ml) 5 each. Brand (Labozon Scientific Inc., United States)	5 each	5	Please Refer to the attached BoQ
12	Beakers (50, 100, 250, 500, 1000ml) 5 each. Brand (Labozon Scientific Inc., United States)	5 each	5	Please Refer to the attached BoQ
13	Volumetric Flasks (50, 100, 250, 500, 1000ml) 5 each. Brand (Labozon Scientific Inc., United States)	5 each	5	Please Refer to the attached BoQ
14	Laboratory rehabilitation: Implementing rehabilitation works for the facility as per attached detailed BoQ- Annex1	L.S	1	Please Refer to the attached BoQ

### **Delivery Requirements**

Delivery Requirements					
Delivery date and time	Bidder shall deliver the goods Five days After PO signature.				
Delivery Terms (INCOTERMS 2020)	DDP				
	☑ Not applicable				
Customs clearance	Shall be done by:				
(must be linked to	☐ Name of organisation				
INCOTERM	□ Supplier/bidder				
	☐ Freight Forwarder				
Exact Address(es) of Delivery Location(s)	Agriculture office- Seiyun - HADRAMOUT				
Distribution of shipping	☑ will be shared with the winner				
documents (if using					
freight forwarder)					
Packing Requirements	Click or tap here to enter text.				
Training on Operations	☑ applicable				
and Maintenance					
Warranty Period	As mentioned in Annex A				





After-sales service and local service support requirements	Click or tap here to enter text.
Preferred Mode of Transport	LAND
Other information	

### **TECHNICAL CRITERIA OF SELECTION**

TECHNICAL CRITERIA	PASS/FAIL
Recent Relevant Experience on Supplying and Installation of Laboratory equipment/Rehabilitation Works.	
Bidder should provide list of successfully Completed projects with all required info, also should provide Proofs of the Recent Relevant Supply and installation of Laboratory equipment/Rehabilitation works, as well as documents support the financial capacity and cash flow for similar projects amounts!	PASS/FAIL
Bidder is FAIL in this criterion will be FAIL in the whole Technical Evaluation	
Previous Related work experience.	DACC/FAIL
Bidder should provide Proofs of Previous related Work experience.	PASS/FAIL
Technically appropriate BOQ.	
Bidder should provide Bills of Quantities (BOQs) Signed & Stamped. Original Catalogs of the offered items as per attached documents.	PASS/FAIL
Workplan Schedule.	PASS/FAIL





### **ANNEX 2: QUOTATION SUBMISSION FORM**

Bidders are requested to complete this form, including the Company Profile and Bidder's Declaration, sign it and return it as part of their quotation along with Annex 3: Technical and Financial Offer. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.	
RFQ reference:	Click or tap here to enter text.	Date: Click or tap to enter a date.





### **VENDOR INFORMATION SHEET**1

	VEN	IDOR INFORMATION	SHEET			
					ndor No.	
Registered Vendor Name*:	: Company			inte	IIIai to IOW	
Other Names/Acronyms Ac	ddress*					
House No						
Street					Name	_ZIP/Postal
Code*						City*
Region* Country*						
Country						
Contact Information						
Company Tel/Mobile:		Contac	et		Person:	_Company
Email:		Contac	t Per	son	Positio <u>n:</u>	Company
Website:						
In the star October 1994	0400 0	IN and an	0500		N 1 N - 0000	
Industry Category*:	0100 - Commercia National CSOs	I vendors	0500 - Internation	nal Organizations -	Non-UN 0200 -	-
	0300 - National Go	overnment Entities		:s Consultant/Non-S	taff 0400 -	
	International CSOs		ooco marriada.	001104114114111	0 .00	
						Notes
Business Type*:	Direct Producer/Ma	anufacturing			1	m may be returned if mandatory fields are missing/incorrect or in
	Reseller/Distributor/	Service Provider		the wrong format (esp,		
Provide Services/Goods Int	ternationally*	Yes	No	documents.	Vendor Name - should m	natch IDs or registration
Disability-inclusive*	•	Yes	Not applicable	If there is insufficient s	pace, please use the Other	Information section
Women-owned/controlled	*	At least 51% women		ess than 51%		
		women-owned/contr	rolled Not applicable	e		
Product Categories (check	call applicable)*					
Agriculture, Livestock and		Fuels and Derivatives	Legal and Investig	gation	Power Supply and	d Electric ChemicalsFurniture
Olathian and Lunnan		Logistics and Warehousing	Quality Control an			
Clothing and Luggage Construction		Hospitality, Events Insurances	Media and Printin Medical, Drugs ar	-	Security	nitarian Services Consultancy and
Contracted Services		IT and Communications	NFIs - Household		Tickets	manari ocivices ocirsularity and
Finance and Administrati	on	Land and Buildings Learning, Training and Recreation	Office Equipment Personal Care	and Supply	Tools and Machin Vehicles and Acc	nery Food and Beverage
		Ç			vooo and Acc	
UNGM No.			https://www.ungm.org			
UN Partner Portal Referenc	e		https://www.unpartne		_	
Registration Date			Main Country of Ope	erations (dd-mmm-yyyy)	)	
Licensing Auth./Type		License No.:	Reg. Date:	Expi	ry Date:	
For additional licenses, plea	se use the Other Inf	ormation Section	dd-n	птт-уууу	dd-mmm-	уууу
Partner Entities (indicate if	there are other relev	ant business partner accounts	already registered	in IOM. Format: A	ccount Number-	Name) Same entity
Image (maloute in	4.0 01.101 10101	comoco partiror docourito	saa, . sgiotoroa		30	, camo oning
registered in another o	ffice	-				
Parent company Subsidiaries/Branches						
Subsidialies/Dialiciles	·					<del></del>

 $<sup>^{\</sup>mbox{\scriptsize 1}}$  This form is mandatory to fill in and sign by every vendor who submits quotation



<sup>&</sup>lt;sup>1</sup> Vendor Information Sheet.xlsx





# VENDOR INFORMATION SHEET Section II: Payment and Banking Information Payment Details

# Payment Method\* x Bank Transfer Check\*\* Cash\*\* Others\*\* Justification for Non-Bank Payment Method\*\*

#### notes

Payment currency of the vendor MUST be clearly marked in order to avoid additional bank charges and/or delay in payments. Non-bank payment methods require justification.

### Bank Details (mandatory if Payment Method is via Bank Transfer):

Bank Name Bldg and

Street City

Postal Code

Country

Bank Account Name Bank

Keys

Account Currency Bank

Account No.

\*Depending on the country

Swift Code/BIC (accounts outside U.S.A.) IBAN Number (mandatory for banks in Europe) Clearing No. (CHF accounts in Switzerland) ABA No. for ACH (USD accounts in U.S.A.) Bank Branch Code

### Notes

If there are multiple bank accounts, please add an extra sheet, and mark the default bank account.

If awarded, please submit ID/Registration, signed IOM Supplier Code of Conduct and Proof of Banking Details to IOM

	Printed Name	Signature
	Position/Title	Date

I hereby certify that the information above are true and correct. I am also authorizing IOM to validate all claims with concerned authorities.





### BIDDER'S DECLARATION OF CONFORMITY<sup>2</sup>

Yes	No	
		On behalf of the Supplier, I hereby represent and warrant that neither the Supplier, nor any person having powers of representation, decision-making or control over it or any member of its administrative, management or supervisory body, has been the subject of a final judgement or final administrative decision for one of the following reasons: bankruptcy, insolvency or winding-up procedures; breach of obligations relating to the payment of taxes or social security contributions; grave professional misconduct, including misrepresentation, fraud; corruption; conduct related to a criminal organisation; money laundering or terrorist financing; terrorist offences or offences linked to terrorist activities; child labour and other trafficking in human beings, any discriminatory or exploitative practice, or any practice that is inconsistent with the rights set forth in the Convention on the Rights of the Child or other prohibited practices; irregularity; creating or being a shell company.
		On behalf of the Supplier, I further represent and warrant that the Supplier is financially sound and duly licensed.
		On behalf of the Supplier, I further represent and warrant that the Supplier has adequate human resources, equipment, competence, expertise and skills necessary to complete the contract fully and satisfactorily, within the stipulated completion period and in accordance with the relevant terms and conditions.
		On behalf of the Supplier, I further represent and warrant that the Supplier complies with all applicable laws, ordinances, rules and regulations.
		On behalf of the Supplier, I further represent and warrant that the Supplier will in all circumstances act in the best interests of IOM.
		On behalf of the Supplier, I further represent and warrant that no official of IOM or any third party has received from, will be offered by, or will receive from the Supplier any direct or indirect benefit arising from the contract.
		On behalf of the Supplier, I further represent and warrant that the Supplier has not misrepresented or concealed any material facts during the contracting process.
		On behalf of the Supplier, I further represent and warrant that the Supplier will respect the legal status, privileges and immunities of IOM as an intergovernmental organization.
		On behalf of the Supplier, I further represent and warrant that neither the Supplier nor any persons having powers of representation, decision-making or control over the Supplier or any member of its administrative, management or supervisory body are included in the most recent Consolidated United Nations Security Council Sanctions List (the "UN Sanctions List") or are the subject of any sanctions or other temporary suspension. The Supplier will immediately disclose to IOM if it or they become subject to any sanction or temporary suspension.
		On behalf of the Supplier, I further represent and warrant that the Supplier does not employ, provide resources to, support, contract or otherwise deal with any person, entity or other group associated with terrorism as per the UN Sanctions List and any other applicable anti-terrorism legislation.
		On behalf of the Supplier, I further represent and warrant that, the Supplier will apply the highest ethical standards, the principles of efficiency and economy, equal opportunity, open competition and transparency, and will avoid any conflict of interest.





Yes	No	
		On behalf of the Supplier, I further represent and warrant that the Supplier undertakes to comply with
		the Code of Conduct, available at <a href="https://www.ungm.org/Public/CodeOfConduct.">https://www.ungm.org/Public/CodeOfConduct.</a>
		It is the responsibility of the Supplier to inform IOM immediately of any change to the information provided in this Declaration.
		On behalf of the Supplier, I certify that I am duly authorized to sign this Declaration and on behalf of
		the Supplier I agree to abide by the terms of this Declaration for the duration of any contract entered into between the Supplier and IOM.
		IOM reserves the right to terminate any contract between IOM and the Supplier, with immediate effect
		and without liability, in the event of any misrepresentation made by the Supplier in this Declaration.

Signature:	
Name:	Click or tap here to enter text.
Title:	Click or tap here to enter text.
Date:	Click or tap to enter a date.





### **ANNEX 3: TECHNICAL AND FINANCIAL OFFER - GOODS**

Bidders are requested to complete this form, sign it and return it as part of their bid along with Annex 2: Quotation Submission Form. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.			
RFQ reference:	Click or tap here to enter text.	Date: Click or tap to enter a date.		

	Currency of the Quotation: USD  INCOTERMS: Click or tap here to enter text.				
Item No		иом	Qty	Unit price	Total price
1.	Gas Chromatography Mass Spectrometry LZ-GCMS-A879 Gas Chromatography. Gas Chromatography Mass Spectrometry LZ-GCMS-A879 including with autosampler and samples tray for as minimum 150 vials (2ml). A complete set of equipment required for wide range of research applications (such as Food & organic analysis and suitable for pesticide, herbicides, fungicides and insecticides residue in foods) supplied with: • Complete set of software for controlling the system and managing its data via a PC, with set of required interfaces cables. system. • Complete columns for the above-mentioned application fields, such as: Food & organic analysis and pesticide residues • Complete set of accessories for supplies, regulators, detection system, carrier gas generator and necessary chemicals. Gas Chromatography Mass Spectrometry LZ-GCMS-A879 Gas Chromatography Specifications:Flow rate 1 ~ 1.5 ml / min Maximum flow rate 10 ml / min Inlet temperature 450 °C Pressure range 0 ~ 100 psi Heating rate Up to 120 °C / min Room temperature 4 °C ~ 450 °C Pressure control mode Electronic pressure control ( Supports CV and CC) Split mode Split / split less Split ratio 41.667361111111Temperature programming 7 stages / 8 platforms Auto sampler Optional Mass Spectrometry Specifications:Mass range 1.5 ~ 1000 amulon − source temperature 100 °C ~ 350 °C GC-MS interface temperature 450 °CScan rate Up to 10000 amu/s Stability ± 0.10 amu / 48 hrs. Filament emission current 0 ~ 350 μAEI source ionization energy 5 eV ~ 250 EV Resolution Unit resolution Detector High energy dynode electron multiplier Sensitivity Full scan ( S / N is ≥ 30 : 1 )Vacuum Turbo molecular pump ( 67 L/s ). Brand (Labozon Scientific Inc., United States) Including installation and training in pesticide residue analysis application to the Staff	PC	1		
2.	Multiresidue pesticide standard test kit: Multiresidue pesticide standard test kit Accurately identify and quantify pesticide residues in foods. Detection of major organophosphate and carbamate pesticides. LC Multiresidue Brand Restek Corpora	KIT	4		





	UN MIGRATI	-	,	
3.	Ultrapure Water Purification System LZ-UWP-A100 Ultrapure Water Purification System LZ-UWP-A100Pure Water Output: ≥ 10 L / hr Water Type: Type I and Type III Water Tank Capacity: 30 L Method: Double Pass RO system Ultrapure Water Output: ≥ 1-1.5 L / min Resistivity: 15 ~ 18.25 M Ω. Cm @25°C Conductivity: ≤ 5 μs / cm @25°C Retention Rate ( Silicon): >99.9%TOC: <20 ppb Absorbance: <0.001Reactive Silica (SiO2): <0.01 ppm Heavy Metal Ion: <0.01 ppm Pyrogens: < 0.02 EU / ml Power: >150 W Power Supply: 220 V / 50 Hz Dimensions: 340 x 550 x 530 mm Weight: 39 kg. Brand (Labozon Scientific Inc., United States)	PC	1	
4.	Electromagnetic Analytical Balance LZ-AB-A520 Electromagnetic Analytical Balance LZ-AB-A520Range: 600 g Repeatability: ±0.002g Readability: 0.001g Display: LCD Minimum Weighing: 0.004g Pan Dimension: Ø 80 mm Material: Aluminum base Linearity: ±0.003g Calibration: Internal / External Housing Dimensions: 340×215×350mm Draft shield Dimensions: 240×190×265mm Interface: RS232 & USB Weight: 11Kg. Brand (Labozon Scientific Inc., United States)	PC	1	
5.	Variable Autoclavable Micropipettes LZ-VAP-A15 Variable Autoclavable Micropipettes LZ-VAP-A15Volume: 100 to 1000 μl Testing Volume: 500 μl Channel: Single Inaccuracy: ±0.70%Imprecision: ±0.25% Increment: 5 μlTips Volume: 1000 μl Display: Digital Sealing: PTFE Weight: 0.25 kg500pcs price; Qty/ctn: 20. Brand (Labozon Scientific Inc., United States)	PC	5	
6.	Variable Autoclavable Micropipettes LZ-VAP-A17 Variable Autoclavable Micropipettes LZ-VAP-A17Volume: 2 to 10ml Testing Volume: 5 ml Channel: Single Inaccuracy: ±1.20%Imprecision: ±0.30% Increment: 0.1 ml Tips Volume: 10 ml Display: Digital Sealing: PTFE Weight: 0.25 kg500pcs price; Qty/ctn: 20. Brand (Labozon Scientific Inc., United States)	PC	5	
7.	Low-Speed Table Top Centrifuge LZ-LSC-C100 Low-Speed Table Top Centrifuge LZ-LSC-C100Maximum Speed: 5000 rpm Maximum Volume: 4×250 ml Timer: 0 to 99 min Dimension (W×D×H): 400×570×320 mm Speed Accuracy: ±20 rpm Maximum RCF: 4730×g Noise: 58 ≤dB Power Supply: AC 220V/110V, 50 Hz 10A Net Weight: 35 kgRotors: 6x15ml, 6x50 ml, 4 x 250 ml, tubes. Brand (Labozon Scientific Inc., United States)	PC	1	
8.	Orbital Shaker LZ-OS-B100: Orbital Shaker LZ-OS-B100 Maximum Load Capacity: 7.5 kg Shaking Speed Range: 100 - 500 rpm Platform Dimension: 320 x 320 mm Shaking Orbit: 10 mm Shaking Motion: Orbital Display: LCD Timer Range: 1 min ~ 19 h 59 min Temperature Range: 5 - 40 °C Humidity: 80 %RHOperation: Continuous/Timed Power: 30 W electrical Supply: 100 - 240 V, 50 / 60 HzOverall Dimension: 370 x 420 x 100 mm Weight: 13.5 kg. Brand (Labozon Scientific Inc., United States	PC	1	
9.	Mini Vortex Mixer LZ-VM-A100 Mini Vortex Mixer LZ-VM-A100Capacity: 50 mlControl Mode: Fixed Speed Motor: Brushless motor Amplitude: 4.5 mm (Circular motion) Speed Range: 3000 rpm Protection Level: IP42 Humidity: 80% RHAmbient Temperature: 5 to 40°C Power: 12 W Electrical Supply: 100 to 240 V, 50/60 Hz Dimension: 93x93x72 mmNet Weight: 0.36 kg Gross Weight: 0.55 kg. Brand (Labozon Scientific Inc., United States)	PC	1	





10.	Multi-Position Hotplate Magnetic Stirrer LZ-MSH-B103 Multi-Position Hotplate Magnetic Stirrer LZ-MSH-B103Work plate Dimension: 110 mmWork plate material: PET anti-corrosion plate Motor type: Brushless motor Stirring positions: 6Max. stirring quantity: 6 *500ml Max. magnetic bar length: 20-50 mm Speed range: 50-1500 rpm Control: Synchronous and Asynchronous Mixing Direction: Right Timer: 1min-19h 59min Display: LCD Environmental conditions: 5-40°C, 80% RH Power supply: AC 100-220VDimension: 415 x 225 x 65 mm Accessories: Stir Bars Brand (Labozon Scientific Inc., United States)	KIT	1		
11.	Cylinders (50, 100, 250, 500, 1000ml) 5 each. Brand (Labozon Scientific Inc., United States)	5 each	5		
12.	Beakers (50, 100, 250, 500, 1000ml) 5 each. Brand (Labozon Scientific Inc., United States)	5 each	5		
13.	Volumetric Flasks (50, 100, 250, 500, 1000ml) 5 each. Brand (Labozon Scientific Inc., United States)	5 each	5		
14.	Laboratory rehabilitation: Implementing rehabilitation works for the facility as per attached Annex 1	L.S	1		
				Total Price	
	Transportation Price				
	Insurance Price				
	Installation Price				
	Training Price				
	Other Charges (specify)				
	Total Final and All-inclusive Price				

### **Compliance with Requirements**

	You Responses			
	Yes, we will comply	No, we cannot comply	If you cannot comply, pls. indicate counter proposal	
Minimum Technical Specifications			Click or tap here to enter text.	
Delivery Term (INCOTERMS)			Click or tap here to enter text.	
Delivery Lead Time			Click or tap here to enter text.	
Warranty and After-Sales Requirements			Click or tap here to enter text.	
Validity of Quotation			Click or tap here to enter text.	
Payment terms			Click or tap here to enter text.	
Other requirements [pls. specify]			Click or tap here to enter text.	





### Other Information:

Estimated weight/volume/dimension of the Consignment:	Click or tap here to enter text.
Country/ies of Origin:	Click or tap here to enter text.
(if export licence required this must be submitted if awarded the contract)	

I, the undersigned, certify that I am duly authorized to sign this quotation and bind the company below in event that the quotation is accepted.				
Exact name and address of the company	Authorized Signature:			
Company NameClick or tap here to enter text.	Date:Click or tap here to enter text.			
Address: Click or tap here to enter text.	Name:Click or tap here to enter text.			
Click or tap here to enter text.	Functional Title of Authorised			
Phone No.:Click or tap here to enter text.	Signatory: Click or tap here to enter text.  Email Address: Click or tap here to enter text.			
Email Address:Click or tap here to enter text.				

